CG621DR			
Product image			Features
			★Dual lens dual view leaves no blind spots
			★ F2.0 large aperture, more light inputs, clearer night vision
			★ISP image processing technology, preserving true colors
		_	★ Human detection, real time alerts
No.	Sorts	Туре	Parameters
1	System	Operating system	
		Online visitor	Supports 4 visitors at the same time
		APP	O-KAM Pro
2	Collection	CPU	Ingenic
		Memory	512Mb
		Lens	4mm
		Image sensor	1/2.7" 1080p progressive scan CMOS sensor
		Minimum illumination	0.5Lux (color mode), 0.1Lux (b&w mode)
		Sensor performance	Support automatic white balance, automatic gain control and automatic backlight compensation
		Night vision	Black and white night vision, full color night vision
		View angle	91°
	Video	Resolution	1080P 1920x1080/15FPS/2MP; 1296P 2304x1296/15FPS/3MP
4		Night vision	Black and white night vision, full color night vision
		Compression standard	H.264 main profile/Motion-JPEG/JPEG
		IR control	IR-CUT, soft photosensitive control
		Bit rate	128 ~ 4096kbps
		Image adjustment	Brightness, contrast, OSD display
		Input	Built-in -38dB microphone
5	Audio	Output	Built-in 8Ω1W speaker
		Sampling frequency/bit	8KHz/16bit
		Compression standard/Bit	G711A
6	Pan/Tilt	Rotation angle	Pan: 270° tilt: 90°
	Network	Network interface	10Mbps/100Mbps
		Network protocol	TCP/IP,HTTP,TCP,UDP,DHCP,DNS,NTP,RTSP,P2P
7			FDD:B1/B3/B8
		4G network(China)	TDD:B34/B38/B40
8	Storage	External TF card	Supports T-Flash cards (up to 256GB)
		Cloud storage	Support cloud storage, users can purchase according to their needs.
9	Alarm	Alarm detection	Motion detection, human detection, human framing, siren sound, human tracking and
10	Physical Indicators	Rated voltage	area detection DC12V±5%
		Power consumption	Power: 6.96W (0.58A) Maximum power: 10.56W (0.88A)
		Operating condition	Working temperature: -10~55 °C, working humidity<90%
			Net weight: 456g Gross weight: 756g
		Weight	
		Camera size	148x123x185mm
		Packaging box size	182x141x210mm
		Carton size	562x435x450mm,18PCS/CARTON